



"Nanotechnology in Food Industries: Application and Safety"

Fatemeh Moghtaderi^{1,2}, Amin Salehi-Abargouei^{1,3*}

¹ Nutrition and Food Security Research Center, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

² Department of Nutrition, School of Public Health, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

³ Environmental Sciences and Technology Research Center, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

ARTICLE INFO

LETTER TO EDITOR

Article History:

Received: 21 June 2018

Accepted: 10 August 2018

***Corresponding Author:**

Amin Salehi-Abargouei

Email:

abargouei@ssu.ac.ir

Tel:

+983531492229

Citation: Moghtaderi F, Salehi-Abargouei A. **Nanotechnology in Food Industries: Application and Safety.** J Environ Health Sustain Dev. 2018; 3(3): 551-3.

Nanotechnology, as a scientific knowledge, is clearly defined as manipulation, fabrication, and application of particles with the size of less than 100 nm¹. Although the use of nanotechnology in food has recently emerged, it has dramatically grown². Nanoparticles which are generally divided into two categories (organic and inorganic) according to their composition can be used in food and food related-products in several domains, such as producing nano-formulated pesticides, fertilizers, and other agrochemicals; enhancing the safety and shelf life of products; improving tastes, colors, flavors, and bioavailability of vitamins and minerals; and preventing microbial corruption of packaged food^{3, 4}. Inorganic nanoparticles which consist mainly of metal, especially metal oxides, have been suggested to be effective due to antimicrobial activity and preservation action⁵. Inorganic nanoparticles are generally composed of materials such as silver, titanium dioxide, zinc oxide, silicon dioxide, and iron oxide⁶. Among them,

silver nanoparticles are generally used in food and food packaging materials owing to their antimicrobial effect^{7, 8}. For instance, it has been claimed that some manufacturers used silver nanoparticles in a particular type of food container⁹. Several studies indicated that these nanoparticles can be transmitted to food from the containers; therefore, led to concerns that they could be ingested by human^{9- 11}. Animal studies have revealed that these nano-silvers can be absorbed and then accumulated in various organs including the liver, small intestine, spleen, stomach, and kidneys^{12, 13}. At present, there is little information on the toxicity potential of nanoparticles. On the one hand some studies have indicated no toxicity; but on the other hand others have reported noticeable toxicity of nanoparticles^{4, 12}. For instance, it is reported that silver nanoparticles increase reactive oxygen species (ROS) production and decrease glutathione levels, as a major endogenous antioxidant scavenger, in human liver cells which lead to damage to cellular

components and apoptosis¹⁴. Moreover, some studies have indicated that nanoparticles can generate ROS which are toxic in lung epithelial cells and alveolar macrophage cells^{15, 16}. Furthermore, it is revealed that producing a large number of ROS which is induced by nanoparticles can be effective in the pathogenesis of neurodegenerative diseases, such as Parkinson and Alzheimer diseases^{17, 18}. Whereas, some animal studies have reported no toxic effects of silver nanoparticles^{19, 20}. Therefore, further studies are needed to determine the case-by-case toxicity of nanoparticles.

It has been reported that many of the nanoparticles are naturally found in several common foods, for instance, casein micelles, a natural protein in bovine milk and other dairy product^{21, 22}. Generally, there are three types of organic nanoparticles including lipid-based, protein-based and carbohydrate-based nanoparticles which is claimed that they are less toxic than inorganic ones due to their digestion within the gastrointestinal tract⁴. Among these three types of organic nanoparticles, lipid-based nanoparticles including micelles, oil droplets, vesicles, and fat crystals are the main nanoparticles which are currently exist in many commercial food products. They can be used to encapsulate compounds with different solubility and enhance the physical stability of the product²³⁻²⁵.

To sum up the most common application of nanoparticles are in food packaging. Indeed, the high surface area of nanoparticles empowers them to improve flexibility, stability, and texture of products²⁶. However, the behavior of nanoparticles in the human body is different from other larger particles which are utilized as food ingredients and this is due to their small size. There are large discrepancies between the studies about the potential toxicity of nanoparticles^{27, 28}. Therefore, further studies should be conducted to ascertain the safety of nanoparticles. Since there are different mechanisms of action for each nanoparticle, it is important to assess the potential toxicity of nanoparticles case-by-case based on their nature. For instance, the most important

mechanism for organic nanoparticles is increasing the bioavailability of toxic substances. Whereas, inorganic nanoparticles can be absorbed in the body, accumulate in various tissues, and produce cytotoxicity.

This is an Open Access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY 4.0) license, which permits others to distribute, remix, adapt and build upon this work, for commercial use.

References

1. Chaudhry Q, Scotter M, Blackburn J, et al. Applications and implications of nanotechnologies for the food sector. *Food Addit Contam Part A*. 2008; 25(3): 241-58.
2. Chaudhry Q, Scotter M, Blackburn J, et al. Applications and implications of nanotechnologies for the food sector. *Food additives and contaminants*. 2008; 25(3): 241-58.
3. Bouwmeester H, Brandhoff P, Marvin HJ, et al. State of the safety assessment and current use of nanomaterials in food and food production. *Trends in food science & technology*. 2014; 40(2): 200-10.
4. Mc Clements DJ, Xiao H. Is nano safe in foods? Establishing the factors impacting the gastrointestinal fate and toxicity of organic and inorganic food-grade nanoparticles. *npj Science of Food*. 2017;1(1):6.
5. He X, Hwang H-M. Nanotechnology in food science: Functionality, applicability, and safety assessment. *J Food Drug Anal*. 2016; 24(4): 671-81.
6. Pietroiusti A, Magrini A, Campagnolo L. New frontiers in nanotoxicology: gut microbiota/microbiome-mediated effects of engineered nanomaterials. *Toxicology and applied pharmacology*. 2016; 299:90-5.
7. Pult-Prociak J, Stokłosa K, Banach M. Nanosilver products and toxicity. *Environ Chem Lett*. 2015; 13(1): 59-68.
8. Hajipour MJ, Fromm KM, Ashkarran AA, et al. Antibacterial properties of nanoparticles. *Trends in biotechnology*. 2012; 30(10): 499-511.

9. Echegoyen Y, Nerín C. Nanoparticle release from nano-silver antimicrobial food containers. *Food and Chemical Toxicology*. 2013; 62:16-22.
10. Pugliara A, Makasheva K, Despax B, et al. Assessing bio-available silver released from silver nanoparticles embedded in silica layers using the green algae *Chlamydomonas reinhardtii* as bio-sensors. *Science of the Total Environment*. 2016; 565:863-71.
11. Mackevica A, Olsson ME, Hansen SF. Silver nanoparticle release from commercially available plastic food containers into food simulants. *J Nanopart Res*. 2016;18(1):5.
12. Gaillet S, Rouanet J-M. Silver nanoparticles: their potential toxic effects after oral exposure and underlying mechanisms—a review. *Food and Chemical Toxicology*. 2015; 77:58-63.
13. Garcia T, Lafuente D, Blanco J, et al. Oral subchronic exposure to silver nanoparticles in rats. *Food and Chemical Toxicology*. 2016; 92:177-87.
14. Piao MJ, Kang KA, Lee IK, et al. Silver nanoparticles induce oxidative cell damage in human liver cells through inhibition of reduced glutathione and induction of mitochondria-involved apoptosis. *Toxicol Lett*. 2011; 201(1):92-100.
15. Soto K, Murr L, Garza K. Cytotoxic responses and potential respiratory health effects of carbon and carbonaceous nanoparticulates in the Paso del Norte airshed environment. *Int J Environ Res Public Health*. 2008; 5(1):12-25.
16. Limbach LK, Wick P, Manser P, et al. Exposure of engineered nanoparticles to human lung epithelial cells: influence of chemical composition and catalytic activity on oxidative stress. *Environmental science & technology*. 2007; 41(11):4158-63.
17. Bouwmeester H, Dekkers S, Noordam M, et al. Health impact of nanotechnologies in food production. 2007.
18. Kedar N. Can we prevent Parkinson's and Alzheimer's disease? *Journal of postgraduate medicine*. 2003; 49(3):236.
19. Hendrickson OD, Klochkov SG, Novikova OV, et al. Toxicity of nanosilver in intragastric studies: Biodistribution and metabolic effects. *Toxicol Lett*. 2016; 241:184-92.
20. Kim YS, Kim JS, Cho HS, et al. Twenty-eight-day oral toxicity, genotoxicity, and gender-related tissue distribution of silver nanoparticles in Sprague-Dawley rats. *Inhalation toxicology*. 2008; 20(6): 575-83.
21. Livney YD. Milk proteins as vehicles for bioactives. *Curr Opin Colloid Interface Sci*. 2010; 15(1-2):73-83.
22. Holt C, De Kruif C, Tuinier R, et al. Substructure of bovine casein micelles by small-angle X-ray and neutron scattering. *Colloids Surf A Physicochem Eng Asp*. 2003; 213(2-3):275-84.
23. Shin GH, Kim JT, Park HJ. Recent developments in nanoformulations of lipophilic functional foods. *Trends in food science & technology*. 2015; 46(1):144-57.
24. Mc Clements DJ. Edible lipid nanoparticles: digestion, absorption, and potential toxicity. *Progress in lipid research*. 2013; 52(4):409-23.
25. Mc Clements DJ, Rao J. Food-grade nanoemulsions: formulation, fabrication, properties, performance, biological fate, and potential toxicity. *Crit Rev Food Sci Nutr*. 2011; 51(4):285-330.
26. Han W, Yu Y, Li N, et al. Application and safety assessment for nano-composite materials in food packaging. *Chin Sci Bull*. 2011; 56(12):1216-25.
27. Nel A, Xia T, Mädler L, et al. Toxic potential of materials at the nanolevel. *science*. 2006; 311(5761):622-7.
28. Oberdörster G, Maynard A, Donaldson K, et al. Principles for characterizing the potential human health effects from exposure to nanomaterials: elements of a screening strategy. *Part Fibre Toxicol*. 2005; 2(1):8.