



## *Air Pollution and its Effects on Autoimmune Diseases*

Salimeh Rezaeinia<sup>1\*</sup>, Ali Asghar Ebrahimi<sup>1</sup>

<sup>1</sup> Environmental Science and Technology Research Center, Department of Environmental Health Engineering, Shahid Sadoughi University of Medical Sciences, Yazd, Iran.

### ARTICLE INFO

#### LETTER TO EDITOR

#### Article History:

Received: 09 March 2020

Accepted: 20 May 2020

#### \*Corresponding Author:

Salimeh Rezaeinia

#### Email:

Srezaeinia1369@gmail.com

#### Tel:

+989107604844

**Citation:** Rezaeinia S, Ebrahimi AA. *Air Pollution and its Effects on Autoimmune Diseases*. J Environ Health Sustain Dev. 2020; 5(2): 982-4.

Environmental exposures, genetic talent, and epigenetic agents are considered as effective factors in the emerging of autoimmune diseases (ADs)<sup>1-3</sup>. ADs are specified by the loss of self-tolerance and unfit to the generation of autoantibody and immune-mediated tissue destruction<sup>4</sup>. Almost 5% of the world's population is affected by this disease which is the fourth leading cause of disability in women<sup>1,5</sup>.

Studies have shown that the prevalence of ADs is growing worldwide<sup>6</sup>. ADs include a wide range of illnesses containing systemic lupus erythematosus (SLE), rheumatoid arthritis (RA), multiple sclerosis (MS), type 1 diabetes mellitus (T1DM), and etc<sup>4,7</sup>. Autoimmune diseases, the most important challenges of medicine, cause chronic disability and mortality in individuals with pulmonary and cardiovascular diseases<sup>8</sup>.

ADs have a powerful genetic history involved<sup>9,10</sup>, but the impact of environmental agents must not be minimized<sup>11</sup>. Studies have reported that environmental agents are about for 40-70% of all Ads<sup>8,12</sup>. As the leading environmental risk factor; air pollution causes and intensifies a number of illnesses<sup>13,14</sup>. Human activities such as transporting, manufacturing, smoking, and

agriculture as well as natural sources such as forest fires and volcanic eruptions cause air pollution<sup>15</sup>. Anthropogenic and geogenic pollutants are caused by a combination of nitrogen dioxide [NO<sub>2</sub>], sulfur dioxide [SO<sub>2</sub>], ozone [O<sub>3</sub>], and carbon monoxide [CO] along with particulate matter (PM)<sup>16</sup>. In this regard, PM can be sorted according to the particles' origin, including chemical (hydrocarbons), metallic (nickel, iron), mineral (silica, quartz), and biological (pollen and endotoxins) sources<sup>17,18</sup>.

Recent studies have reported that air pollution is involved in the increase of ADs. The role of polluted air in initiate ADs marks the reaction of PM available in air pollution with the immune system in the lungs and the effects of long-term inflammation<sup>19</sup>. Based on the main evidence, air pollution can generate an imbalance of T cell, generation of pro-inflammatory cytokines, airway injury, oxidative stress and methylation changes to the beginning and exacerbation of ADs<sup>20</sup>. Further studies carried out in vitro and in vivo with emerging molecular biologic methods will be used to assess potential main effects of air pollutants and the mechanisms related to the initiation and the aggravation of these diseases<sup>21</sup>.

If the causal relation between polluted air exposure and ADs is defined, even if air pollution involves only a little section of these diseases, the effect of air pollution on the global population will be significant. Therefore, it is important to improve public health policies to decrease exposure to air pollution, and to further study its molecular and cellular methods involved in ADs.

This is an Open Access article distributed in accordance with the terms of the Creative Commons Attribution (CC BY 4.0) license, which permits others to distribute, remix, adapt and build upon this work for commercial use.

### References

1. Zhao C-N, Xu Z, Wu G-C, et al. Emerging role of air pollution in autoimmune diseases. *Autoimmun Rev.* 2019;18(6):607-14.
2. Miller FW, Alfredsson L, Costenbader KH, et al. Epidemiology of environmental exposures and human autoimmune diseases: findings from a National Institute of Environmental Health Sciences Expert Panel Workshop. *J Autoimmun.* 2012;39(4):259-71.
3. Brauer M, Freedman G, Frostad J, et al. Ambient air pollution exposure estimation for the global burden of disease 2013. *Environ Sci Technol.* 2015;50(1):79-88.
4. Jeong DY, Lee SW, Park YH, et al. Genetic variation and systemic lupus erythematosus: A field synopsis and systematic meta-analysis. *Autoimmun Rev.* 2018;17(6):553-66.
5. Jung CR, Chung WT, Chen WT, et al. Long-term exposure to traffic-related air pollution and systemic lupus erythematosus in Taiwan: A cohort study. *Sci Total Environ.* 2019;668: 342-9.
6. Lerner A, Jeremias P, Matthias T. The world incidence and prevalence of autoimmune diseases is increasing. *Int J Celiac Dis.* 2015;3(4): 151-5.
7. Touitou I. New genetic interpretation of old diseases. *Autoimmun Rev.* 2012;12(1):5-9.
8. Selmi C, Lu Q, Humble MC. Heritability versus the role of the environment in autoimmunity. *Autoimmun Rev.* 2012;39(4): 249-52.
9. Barker JM. Type 1 diabetes- associated autoimmunity: natural history, genetic associations, and screening. *Int J Clin Endocrinol Metab.* 2006;91(4):1210-7.
10. Anaya JM, Gómez L, Castiblanco J. Is there a common genetic basis for autoimmune diseases?. *Clin Dev Immunol.* 2006;13(2-4):185-95.
11. Perricone C, Versini M, Ben Ami D, et al. Smoke and autoimmunity: The fire behind the disease. *Autoimmun Rev.* 2016;15(4):354-74.
12. Ritz SA. Air pollution as a potential contributor to the 'epidemic' of autoimmune disease. *Med Hypotheses.* 2010;74(1):110-7.
13. Barbaiya M, Costenbader KH. Environmental exposures and the development of systemic lupus erythematosus. *Curr Opin Rheumatol.* 2016;28(5): 497.
14. Crouse DL, Peters PA, Hystad P, et al. Ambient PM<sub>2.5</sub>, O<sub>3</sub>, and NO<sub>2</sub> exposures and associations with mortality over 16 years of follow-up in the Canadian Census Health and Environment Cohort (CanCHEC). *Environ Health Perspect.* 2015;123(11):1180-6.
15. Mayer H. Air pollution in cities. *Atmos Environ.* 1999;33(24-25):4029-37.
16. Roux J, Bard D, Le Pabic E, et al. Air pollution by particulate matter PM<sub>10</sub> may trigger multiple sclerosis relapses. *Environ Res.* 2017;156: 404-10.
17. Bernatsky S, Smargiassi A, Barnabe C, et al. Fine particulate air pollution and systemic autoimmune rheumatic disease in two Canadian provinces. *Environ Res.* 2016;146:85-91.
18. Laden F, Neas LM, Dockery DW, et al. Association of fine particulate matter from different sources with daily mortality in six US cities. *Environ Health Perspect.* 2000;108(10): 941-7.
19. Gawda A, Majka G, Nowak B, et al. Air pollution, oxidative stress, and exacerbation of autoimmune diseases. *Cent Eur J Immunol.* 2017;42(3):305.

20. Farhat SC, Silva CA, Oriane MAM, et al. Air pollution in autoimmune rheumatic diseases: a review. *Autoimmun Rev.* 2011;11(1):14-21.

21. Sigaux J, Biton J, André E, et al. Air pollution as a determinant of rheumatoid arthritis. *Joint Bone Spine.* 2019;86(1):37-42.